

WALL PANEL SERIES

› WPC wall panel

› WPC Solid splicing board



EP LEVEL



FIRE RATING



WATERPROOF




BENDABLE

WPC WALL PANEL

PRODUCT INTRODUCTION

PRODUCT STRUCTURE DIAGRAM



Size(mm)	Thickness
Width: 1100 Length: 2440/2600/2800/3000/ Customized length under 6 meters	5/8/12/15/18mm
Material \ cross-section	EP level
Crystal like co extruded layer+Bamboo charcoal fiber	ENF
Advantage	Fire rating
Eco-friendly/Flame retardant/Waterproof/Bendable	B1
Splicing method	Process
Tight splicing/Metal profile connection/Process seam	PUR coating/ PUR flat sticker



EP LEVEL



FIRE RATING



WATERPROOF




BENDABLE

PRODUCT PERFORMANCE REAL SHOT

WATERPROOF TEST



Bend forward



Bend backwards

OPTIONAL THICKNESS

WPC WALL PANEL




THICKNESS: 18MM

THICKNESS: 15MM

THICKNESS: 12MM

THICKNESS: 8MM


THICKNESS: 5MM



WPC WALL PANEL INSTALLATION MODE




- 1&4. PUTTYING AND LEVELING
2. APPLY STRUCTURAL ADHESIVE ON THE BACK
3. METAL PROFILE CONNECTION
5. ROUGH WALL



CORNER SLOTTING AND BENDING



1. SLOTTING OF TRIMMING MACHINE
2. HOT AIR GUN HEATING BENDING
3. APPLY STRUCTURAL ADHESIVE ON THE BACK OF THE WALL PANEL




CORNER SLOTTING AND BENDING





1. APPLY STRUCTURAL ADHESIVE ON THE BACK
2. METAL PROFILE CONNECTION

**A VARIETY OF SERIES COLORS
ARE AVAILABLE**



OPTIONAL COLOR

WPC WALL PANEL





WPC wall panel
Solid color series - 3017










WPC wall panel
Metal series - 703

WPC SOLID SPLICING BOARD

PRODUCT INTRODUCTION

PRODUCT STRUCTURE DIAGRAM



Size(mm)	EP level
Width: 400/600/1100 Length: 2800/Customized length under 3600 Thickness: 8	ENF
Material \ cross-section	Fire rating
Crystal like coextruded layer + Bamboo charcoal fiber	B1
Advantage	Splicing method
Eco-friendly/Flame retardant/Waterproof/Bendable	Process seam



EP LEVEL



FIRE RATING




WATERPROOF



BENDABLE


PRODUCT PERFORMANCE REAL SHOT

WATERPROOF TEST




PRODUCT TYPE


WPC SOLID SPLICING BOARD



**WPC TIGHT-SEAM
SOLID SPLICING BOARD**



**WPC P-SEAM
SOLID SPLICING BOARD**



**WPC U-SEAM
SOLID SPLICING BOARD**



**A VARIETY OF SERIES COLORS
ARE AVAILABLE**



OPTIONAL COLOR

WOOD GRAIN SERIES

WPC SOLID SPLICING BOARD



WPC Tight-seam Solid splicing board



WPC P-seam Solid splicing board



WPC U-seam Solid splicing board

WOOD GRAIN SERIES



WPC TIGHT-SEAM
SOLID SPLICING BOARD



WPC P-SEAM
SOLID SPLICING BOARD




WPC U-SEAM
SOLID SPLICING BOARD

OPTIONAL COLOR

STONE GRAIN SERIES

WPC SOLID SPLICING BOARD



STONE GRAIN SERIES



WPC TIGHT-SEAM
SOLID SPLICING BOARD



WPC P-SEAM
SOLID SPLICING BOARD





WPC U-SEAM
SOLID SPLICING BOARD

OPTIONAL COLOR

CLOTH GRAIN SERIES

WPC SOLID SPLICING BOARD



CLOTH GRAIN SERIES



WPC TIGHT-SEAM
SOLID SPLICING BOARD



WPC P-SEAM
SOLID SPLICING BOARD






WPC U-SEAM
SOLID SPLICING BOARD

OPTIONAL COLOR

SOLID COLOR SERIES

WPC SOLID SPLICING BOARD



SOLID COLOR SERIES



WPC TIGHT-SEAM
SOLID SPLICING BOARD



WPC P-SEAM
SOLID SPLICING BOARD



WPC U-SEAM
SOLID SPLICING BOARD

OPTIONAL COLOR

METAL SERIES

WPC SOLID SPLICING BOARD



WPC Tight-seam Solid splicing board

METAL SERIES



WPC TIGHT-SEAM
SOLID SPLICING BOARD



WPC P-SEAM
SOLID SPLICING BOARD



WPC U-SEAM
SOLID SPLICING BOARD

OPTIONAL COLOR

WPC SOLID SPLICING BOARD







