

NEW

WPC LINES












Male & Female Groove










Double Female Groove

Edge & Ceiling Trim

WPC LINES CATALOG

Category	Product Picture	Product Name	Cross-section	Length	Ep rating	Fire rating
Male & Female Groove		(8mm)40*40R18 Male & Female Groove External Corner (8mm)40*40R18		3M	E0	B1
		(8mm)50*50 Double Female Groove Right Angle External Angle (8mm)50*50		3M	E0	B1
Double Female Groove		(8mm)50*50 Double Female Groove Curved External Angle (8mm)50*50		3M	E0	B1
		(8mm)58*58R20 Double Female Groove Internal Corner (8mm)58*58R20		3M	E0	B1
		(8mm)70*70R40 Double Female Groove External Corner (8mm)70*70R40		3M	E0	B1
		(8mm)90*90R60 Double Female Groove External Corner (8mm)90*90R60		3M	E0	B1
		(12mm)58*58R20 Double Female Groove Internal Corner (12mm)58*58R20		3M	E0	B1
		(12mm)70*70R40 Double Female Groove External Corner (12mm)70*70R40		3M	E0	B1
		(12mm)90*90R60 Double Female Groove External Corner (12mm)90*90R60		3M	E0	B1

WPC LINES CATALOG

Category	Product Picture	Product Name / Cross-section	Length	Ep rating	Fire rating
Edge & Ceiling Trim		H1550 Edge & Ceiling Trim 	3M	E0	B1
		H228 Edge Trim 	3M	E0	B1
		H8026 Edge & Ceiling Trim 	3M	E0	B1
		H1670 Edge & Ceiling Trim 	3M	E0	B1
		16*12P Edge Trimming 	3M	E0	B1
		21*12F Edge Trimming 	3M	E0	B1
		24*10L Beveled Edge 	3M	E0	B1
		16*12T Center Joint 	3M	E0	B1
		18*18T Grid Lines 	3M	E0	B1

DOUBLE FEMALE GROOVE LINE SERIES



(8mm)50*50
Double Female Groove
Right Angle Externl Angle



(8mm) 58*58 R20
Double Female Groove
Internal Corner



(12mm) 70*70 R40
Double Female Groove
External Corner



(12mm) 58*58 R20
Double Female Groove
Internal Corner



(12mm) 90*90 R60
Double Female Groove
External Corner



(8mm)50*50R18
Double Female Groove
Curved Externl Angle



(8mm) 90*90 R60
Double Female Groove
External Corner



8220 Groove Line



8245 Groove Line



(8mm) 70*70 R40
Double Female Groove
External Corner

(8mm)40*40R18

Male & Female Groove External Corner

NEW



PRODUCT INFORMATION




Product Name

(8mm)40*40R18

Size(mm)

Width: 40x40mm Length: 3000mm
Thickness: 8mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0

Fire rating

B1

INSTALLATION EFFECT DRAWING



(8mm)50*50

Double Female Groove Right Angle External Angle



PRODUCT INFORMATION




Product Name

(8mm)50*50 Double Female Groove
Right Angle Externl Angle

Size(mm)

Width: 50x50mm Length: 3000mm
Thickness: 8mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof / Bendable

EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING



INSTALLATION CROSS-SECTION DRAWING



(8mm)50*50R18

Double Female Groove Curved External Angle



PRODUCT INFORMATION




Product Name

(8mm)50*50 Double Female Groove
Curved Externl Angle

Size(mm)

Width: 50x50mm Length: 3000mm
Thickness: 8mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof / Bendable


EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING



INSTALLATION CROSS-SECTION DRAWING



(8mm)70*70R40

Double Female Groove External Corner

NEW



PRODUCT INFORMATION




Product Name

(8mm)70*70R40
Double Female Groove External Corner

Size(mm)

Width: 70x70mm Length: 3000mm
Thickness: 8mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof


EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING




INSTALLATION CROSS-SECTION DRAWING



(8mm)90*90R60

Double Female Groove External Corner



PRODUCT INFORMATION




Product Name

(8mm)90*90R60
Double Female Groove External Corner

Size(mm)

Width: 90x90mm Length: 3000mm
Thickness: 8mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof


EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING




INSTALLATION CROSS-SECTION DRAWING




(8mm)58*58R20

Double Female Groove Internal Corner

NEW



PRODUCT INFORMATION




Product Name

(8mm)58*58R20
Double Female Groove Internal Corner

Size(mm)

Width: 58x58mm Length: 3000mm
Thickness: 8mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING



INSTALLATION CROSS-SECTION DRAWING



(12mm)70*70R40

Double Female Groove External Corner

NEW



PRODUCT INFORMATION




Product Name

(12mm)70*70R40
Double Female Groove External Corner

Size(mm)

Width: 70x70mm Length: 3000mm
Thickness: 12mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING




INSTALLATION CROSS-SECTION DRAWING



(12mm)90*90R60

Double Female Groove External Corner



PRODUCT INFORMATION




Product Name

(12mm)90*90R60
Double Female Groove External Corner

Size(mm)

Width: 90x90mm Length: 3000mm
Thickness: 12mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING




INSTALLATION CROSS-SECTION DRAWING



(12mm)58*58R20

Double Female Groove Internal Corner

NEW



PRODUCT INFORMATION




Product Name

(12mm)58*58R20
Double Female Groove Internal Corner

Size(mm)

Width: 58x58mm Length: 3000mm
Thickness: 12mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof


EP level

E0


Fire rating

B1

INSTALLATION EFFECT DRAWING



INSTALLATION CROSS-SECTION DRAWING



H1550

Edge & Ceiling Trim

NEW



PRODUCT INFORMATION




Product Name

H1550
Edge & Ceiling Trim

Size(mm)

Width: 150mm Length: 3000mm
Thickness: 50mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof


EP level

E0

Fire rating

B1

INSTALLATION EFFECT DRAWING




H1550 Edge Trim+Light Strip



H1550 Edge Trim+Wall Panel

CASE APPLICATION

H1550 Edge & Ceiling Trim



CASE APPLICATION

H1550 Edge & Ceiling Trim



H228

Edge Trim

NEW



PRODUCT INFORMATION




Product Name

H228
Edge Trim

Size(mm)

Width: 228mm Length: 3000mm
Thickness: 82mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0

Fire rating

B1

INSTALLATION EFFECT DRAWING



H228 Edge Trim+Light Strip

CASE APPLICATION

H228 Edge Line




H8026

Edge & Ceiling Trim

NEW



PRODUCT INFORMATION




Product Name

H8026
Edge & Ceiling Trim

Size(mm)

Width: 80mm Length: 3000mm
Thickness: 26mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof



EP level

E0

Fire rating

B1

INSTALLATION EFFECT DRAWING




CASE APPLICATION

H8026 Edge & Ceiling Trim



CASE APPLICATION

H8026 Edge & Ceiling Trim



H1670

Edge & Ceiling Trim

NEW



PRODUCT INFORMATION




Product Name

H1670
Edge & Ceiling Trim

Size(mm)

Width: 160mm Length: 3000mm
Thickness: 70mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof



EP level

E0

Fire rating

B1

INSTALLATION EFFECT DRAWING



CASE APPLICATION

H1670 Edge & Ceiling Trim



CASE APPLICATION

H1670 Edge & Ceiling Trim



16*12P

Edge Trimming

NEW



PRODUCT INFORMATION




Product Name

16*12P
Edge Trimming

Size(mm)

Width: 16mm Length: 3000mm
Thickness: 18.5mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0

Fire rating

B1

21*12F

Edge Trimming

NEW



PRODUCT INFORMATION




Product Name

21*12F
Edge Trimming

Size(mm)

Width: 21mm Length: 3000mm
Thickness: 18.5mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0

Fire rating

B1

24*10L

Beveled Edge

NEW



PRODUCT INFORMATION




Product Name

24*10L
Beveled Edge

Size(mm)

Width: 24mm Length: 3000mm
Thickness: 16.5mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0

Fire rating

B1

16*12T

Center Joint

NEW



PRODUCT INFORMATION




Product Name

16*12T
Center Joint

Size(mm)

Width: 16mm Length: 3000mm
Thickness: 18.5mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0

Fire rating

B1

18*18T

Grid Lines

NEW



PRODUCT INFORMATION




Product Name

18*18T
Grid Lines

Size(mm)

Width: 18mm Length: 3000mm
Thickness: 24.5mm

Cross-section



Material

Bamboo charcoal fiber

Advantage

Eco-friendly / Flame retardant /
Waterproof

EP level

E0

Fire rating

B1

CASE APPLICATION



CONSTRUCTION METHOD DEMONSTRATION MODEL

• 81065



CONSTRUCTION METHOD DEMONSTRATION MODEL

